


Precision ejector pins DIN 1530 shape D



The ejector pins DIN 1530 shape D are produced from alloy tool steel with material no. 1.2210, 1.2516 or similar, and have a shank hardness of 60 ± 2 HRc as well as a toolhead hardness of approx. 45 ± 5 HRc.

The shank is precision ground (tolerance g6), the toolhead is hot shaped and tempered.

Special dimensions/intermediate dimensions, special tolerances and special lengths can be supplied within a few business days.

We will be glad to provide you with a specific quotation.

d1	length 70/71	length 80	length100	length 125	length160	length 200	length 250	length 315
0,8	-	-				-	-	-
1,0		-					-	-
1,1		-					-	-
1,2		-					-	-
1,25		-					-	-
1,3		-					-	-
1,4		-					-	-
1,5		-					-	-
1,6		-					-	-
1,7		-					-	-
1,75		-					-	-
1,8		-					-	-
1,9		-					-	-
2,0								-
2,1		-					-	-
2,2		-					-	-
2,25	-	-					-	-
2,3		-					-	-
2,4		-					-	-
2,5								-
2,6		-					-	-
2,7		-					-	-
2,75	-	-					-	-
2,8		-					-	-
2,9		-					-	-
3,0								-
3,1		-					-	-
3,25	-	-					-	-
3,5								-
3,6		-					-	-
3,75	-	-					-	-
4,0								
4,1		-					-	-
4,25	-	-					-	-
4,5		-						-
4,6		-					-	-
5,0								
5,1		-					-	-
5,25	-	-					-	-
5,5		-						-
6,0								
6,5	-	-						-
7,0	-	-						-
7,5	-	-					-	-
8,0								
8,5	-	-						-
9,0	-	-						-
10,0								
12,0	-	-						
14,0	-	-						
16,0	-	-						

 standard dimensions